

Southern California 2011 Behavioral Response Study - Marine Mammal Monitoring Support

Christopher Kyburg
Space and Naval Warfare Systems Center Pacific
Code 71752
53560 Hull Street
San Diego, CA 92152-5001
phone: (619) 553-5752 fax: (619) 553-6305 email: christopher.kyburg@navy.mil

Rowena Carlson
Space and Naval Warfare Systems Center Pacific
Code 56420
53560 Hull Street
San Diego, CA 92152-5001
phone: (619) 553-2505 fax: (619) 553-6842 email: rowena.carlson@navy.mil

Award Number: N0001411WX21333
<http://www.socal-brs.org/>

LONG-TERM GOALS

The Behavioral Response Studies are intended to collect information which will enable the Navy to minimize negative impact on marine mammals related to sonar and other sources of anthropogenic sound in the marine environment from Navy training operations.

The Whale Identification, Logging and Display (WILD) software is intended to be a solution which provides the situational awareness needed to conduct controlled exposure experiments safely while thoroughly documenting the events and context in which they occur. It must also support typical marine mammal density survey operations. The long term goals for WILD system upgrades and modifications have been based on recommendations made from use on the MED 09 and SOCAL 10 sea trials.

WILD must be a flexible, easy to use software solution that records, integrates and displays visual and acoustic observations of marine mammals, research vessels, sonobuoy locations, and other contextual information relevant to the experiments and their analysis. WILD must also support typical survey, focal follow, and mitigation operations. WILD must have little or no software licensing costs to the user community.

OBJECTIVES

The objective of the SSC Pacific support for SOCAL 11 included three tasks as follows:

Task 1: Participation in planning meetings

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Southern California 2011 Behavioral Response Study - Marine Mammal Monitoring Support				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Space and Naval Warfare Systems Center Pacific, Code 71752, 53560 Hull Street, San Diego, CA, 92152-5001				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 10	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

- Task 2: WILD logger enhancements
- Task 3: WILD Mapper configuration and enhancements
- Task 4: Sea Trial support
- Task 5: Post cruise analysis and reporting
- Task 6: Conference presentations and WILD demonstrations

APPROACH

The continuing development of WILD includes the use of industry standard programming languages and methodologies which result in compiled, easily installed, royalty free software. Planned upgrades and modifications to the WILD software were made based on lessons-learned from visual observers on the SOCAL-10 cruise and communication with observers who would be working on SOCAL 10.

The key individuals included Chris Kyburg and Rowena Carlson.

WORK COMPLETED

Hardware:

- A new VHF antenna was purchased/installed on CRC RHIB Ziphid to improve AIS transmission capability. A VHF splitter was purchased/installed on vessel Truth to allow use of much larger VHF antenna to improve AIS reception range in WILD.
- A new Wi-Fi router was purchased/installed to improve communication bandwidth for the WILD system and data transfer to and from new centrally managed, RAID capable mass storage device (SEA Inc. purchased DROBO network attached storage device).
- The new Wi-Fi router was also used to support consolidated 3G modem access to the internet for all science/engineering researchers.

Software:

- The WILD Logger software module was upgraded based on lessons-learned and recommendations from visual observers. The underlying database was modified to allow for storage of all parameters needed to recalculate animal positions for thorough documentation of the observation and its context.
- The WILD Logger and Mapper software were modified to allow separate logging and rendering of non-animal observations and events including other vessels, buoys, all acoustic source actions, prey mapper actions, CTD/XBT deployments etc. A new tab was added to the WILD logger to support the logging of non-animal observations.
- A new tab was added to the WILD logger to support Group Behavioral Sampling. The system was put through preliminary testing with delphinus, grampus and tursiops during Leg II. This effort was above and beyond the SSC Pacific Scope Of Work, and is only a preliminary proof of concept which will require further effort if it is to be fully integrated into WILD.

- New archiving methodologies were developed and tested successfully which greatly simplify data aggregation for each leg of the BRS.
- ArcGIS software was upgraded to Version 10.0.

At-sea support

Chris Kyburg provided at-sea support during the 12 day period of the Scouting Leg, Week 2 of Leg I, and Leg II aboard vessel Truth. Rowena Carlson provided support during the first week of Leg I, also aboard the vessel Truth.

WILD Configuration on the Vessel Truth




Figure 1. Conceptual diagram of the WILD system aboard the primary platform, the vessel Truth. Both the WILD Logger and Mapper systems were used on the flying bridge (top right) and the Mapper was used as the primary tactical decision tool on the ship's bridge (lower right).



Figure 2. *WILD system setup aboard the primary vessel, Truth.*

PLATFORM GPS INFORMATION							
Date	Time	Latitude	Longitude	Hdg(M)	Hdg(T)	Speed(Kts)	
9/12/2011	13:54:27	N34° 46.384'	E120° 12.349	322	299	4.1	

Figure 3. *Non-Animal Observation tab within the WILD Logger program demonstrating the recording of the position and start of a playback sequence. The drop-down menu under “Object” is used to select the non-animal observation required.*

Group Behavior Sampling protocol was developed by the researchers (Fleur Visser provided the primary input). Modifications to WILD were developed based on the protocol needs and organized based on the concept of persistent, semi-persistent and transient data (Chris Kyburg lead the implementation). Persistent data only needs to be entered once and does not need to be updated for each successive observation. The new Group Behavioral Sampling capability of WILD was tested on Tursiops and Grampus towards the end of the second leg. Preliminary testing of the Group Behavior Sampling tab within WILD was successful both within the Logger as well as the Mapper systems though analysis of the data is still underway.

The screenshot shows the 'Whale Identification Logging & Display (WILD 1.6.0)' application window. The 'GroupBehavior' tab is selected, showing a form for data entry. The interface is divided into several sections:

- Main Menu:** Includes 'PC Time', 'Date 10/27/2011', 'Time 11:05:05 AM', 'Env Status' (with a red 'Env Update Due' warning), 'Sample Warning', 'GPS Data' (with fields for Lat, Lon, Date, UTC, Hdg(M), Hdg(T), Knots), 'GpsMode UDP', 'GpsPort: 7000', 'Receive: Yes', 'Signal', 'Output Status: Open', and 'Next Save Time' set to 'svsTime'.
- Survey, Focal Follow, Environment, Mitigation, Notes, Non-Animal, GroupBehavior:** A row of tabs at the top, with 'GroupBehavior' currently active.
- PLATFORM GPS INFORMATION:** A section with a 'Load Start' button and input fields for 'Date', 'Time', 'Latitude', 'Longitude', 'Hdg(M)', 'Hdg(T)', and 'Speed(Kts)'.
- Object Location:** Includes input fields for 'Bearing', 'Reticle', 'Range(m)', 'Binoculars' (set to 'DEFAULT'), 'Conversion Factor' (0.279), and 'Aspect' (set to 'u=unkno').
- Group Position:** Input fields for 'LAT' and 'LON'.
- Behavioral Sample:** A section with a 'Persistent Information' dropdown for 'Species', and input fields for 'Sighting #', 'TagID', 'Tag Position', and 'Observer'.
- Group Characteristics:** Includes a 'Low Best High' scale, 'Group Composition' (with 'Unk' and 'Und Adult' options), and 'Males' and 'Females' counts.
- Behavioral States:** Includes 'Subgrps' and '# Animals' counts, 'Group Spacing' and 'Distance' fields, a 'Paired' checkbox, 'Milling %', 'Sync' field, 'BR', 'SH', 'Log', 'IC', 'TS', and 'Fluke' fields, and a 'Behavioral state' dropdown.
- Buttons:** 'Clear All' and 'Save Now' buttons are located at the bottom right.

Figure 4. Layout of the Group Sampling Tab within the WILD Logger application. Persistent data is on the left and transient data is on the right hand side of the screen.




Figure 5. *The display of the WILD Mapper while performing a Group Behavioral Sampling event.*

RESULTS

Scouting Leg.

Chris Kyburg provided mobilization and installation support prior to the Scouting Leg and two operational legs. Chris was able to complete development of a telemetric system for use between the passive acoustic system (PAM) and WILD during the scouting leg using borrowed and used equipment. This effort was above and beyond the SSC Pacific Scope of Work, but was considered an important capability to take into the field if it could be done with existing equipment and minimal effort. Chris also assisted the chief scientist in planning and implementing the new data archive format. Chris participated as a visual observer as needed.

While at sea, Chris was able to work with the NMFS passive acoustics team to make modifications within the WILD software to support a generalized passive acoustic NMEA sentence. At sea tests were performed to the telemetry system in order to validate the capability for the operational legs of the BRS. This capability was not used in SOCAL-11 due to power and space limitations on the PAM platforms used on Legs I and II.

Leg I.

Both Chris and Rowena provided GIS display support to the chief scientist for situational awareness during playback situations, and provided plots, data base files, and GIS files for the archive as required. A total of 9 Controlled Exposure Experiments (CEEs) were conducted during Leg I of the sea trials. Both Chris and Rowena also assisted as visual observers and data loggers.

The WILD real time mapping system proved indispensable as the tactical decision aid during the lead up to a play back.




Figure 6. Locations of the 9 CEEs performed on Leg 1 of the SOCAL-11 BRS.

Leg II.

Chris worked with Fleur Visser (Group Behavior scientist) and Brandon Southall (Chief Scientist) on the layout and functionality of the Group Behavior Sampling tab within WILD. A total of 4 CEEs were performed on Leg 2 of the sea trials as illustrated in Figure 7. In addition there were three tests of the Group Behavioral Sampling, one using the original behavioral sampling capability provided in the WILD logger as part of the Focal Follow Tab, and two tests using the new Group Behavioral Sampling Tab developed at sea (see Figure 5 above).




Figure 7. Locations of the four CEEs performed on Leg 2 of the SOCAL-11 BRS.

WILD was successfully upgraded and deployed on SOCAL-11. The major new capabilities demonstrated during this cruise included integration of non-animal logging tab and a Group Behavior Sampling tab and associated changes to the WILD Mapper display. The non-animal tab greatly improved both the quality of data obtained for all non-animal related data as well as improving the quality of animal observation data by clearly separating the two functions for the observers. WILD was used successfully to record visual sightings as well as provide essential support for situational awareness before, during and after a playback as shown in the example in Figures 8.




Figure 8. Example of the configuration for one of the 13 CEEs performed during the SOCAL-11 BRS.

Conference presentations and WILD demonstrations

An abstract for WILD was accepted for a poster session at the upcoming 19th biannual Society for Marine Mammology meeting.

A poster describing WILD was presented at the SSC Pacific Tech Board June 2011 and selected as one of the top 10. As a result, the WILD poster will be presented at the SSC Pacific Supervisor's Council Meeting February 2012.

IMPACT/APPLICATIONS

The WILD system provided a layered and flexible approach to providing the situational awareness required for SOCAL 11 scouting, survey, tagging and playback operations. The GIS Mapper was used to assist in positioning the primary vessel deploying the acoustic source to enable a successful playbacks within the parameters of the cruise permits and protocols. The automated recording of all positional data during a playback provided documentation of permit compliance.

WILD also provided the capability for real time or post exercise analysis that integrated data obtained from all dynamic measurements. It has the proven capability to integrate a range of static and dynamic data. It has been shown that WILD is capable of being installed and used successfully on a variety of vessels. Due to the innovative development of the WILD NMEA distributor, a range of systems outputting spatial data can be integrated, recorded and the output displayed on the GIS Mapper.

Further development is required to finalize the WILD system for wider distribution and use. The capabilities of the WILD system are mature enough to do so in a cost effective manner.

TRANSITIONS

The NOAA Science Advisory Board is considering standardizing on WILD software for their marine mammal and turtle surveys.

RELATED PROJECTS

WILD is also used on quarterly marine mammals surveys of San Diego Bay as funded by Command Navy Region, Southwest

PUBLICATIONS

Software Tools for Visual and Acoustic Real-Time Tracking of Marine Mammals: Whale Identification and Logging Display (WILD), D'Amico, A., Kyburg, C., Carlson, R., SSC Pacific Technical Document TD-3242, Nov 2010.

PATENTS

None.